



APPENDIX 12-7

PREDICTED NOISE LEVELS

APPENDIX 12-7. PREDICTED CUMULATIVE NOISE LEVELS

Table 12-7-1 presents the cumulative predicted noise levels among the scenarios for each NSL and windspeed.

Table 12-7-1. Predicted Noise Level at Noise-sensitive locations

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H001	Predicted	34.5	36.3	39.9	42.1	42.8	43.2	43.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	2.1	2.8	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	0.2	0.5
H002	Predicted	33.4	35.5	39.1	41.3	41.9	42.3	42.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.3	1.9	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H003	Predicted	33.1	35.4	39.0	41.2	41.8	42.1	42.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.2	1.8	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H004	Predicted	32.6	35.0	38.8	40.9	41.5	41.8	41.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.9	1.5	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H005	Predicted	32.2	34.6	38.3	40.5	41.1	41.3	41.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.5	1.1	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H006	Predicted	32.0	34.2	37.8	40.0	40.6	40.9	41.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	0.6	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H007	Predicted	31.8	34.2	38.0	40.1	40.7	40.9	41.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.1	0.7	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H008	Predicted	27.8	29.6	33.2	35.3	35.9	36.2	36.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H009	Predicted	28.7	31.0	34.8	36.9	37.4	37.6	37.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H010	Predicted	30.0	32.5	36.3	38.4	39.0	39.2	39.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H011	Predicted	29.0	31.2	34.9	37.0	37.6	37.8	37.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H012	Predicted	29.5	31.5	35.2	37.4	38.1	38.5	38.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H013	Predicted	29.1	30.8	34.4	36.7	37.4	37.9	38.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H014	Predicted	29.2	31.2	34.8	37.1	37.8	38.2	38.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H015	Predicted	29.6	31.7	35.4	37.6	38.2	38.6	38.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H016	Predicted	29.2	31.5	35.2	37.4	38.1	38.5	38.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H017	Predicted	27.2	29.3	33.0	35.3	35.9	36.3	36.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H018	Predicted	28.0	30.2	33.8	36.2	36.8	37.3	37.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H019	Predicted	26.4	28.6	32.3	34.6	35.2	35.6	35.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H020	Predicted	25.7	27.7	31.4	33.7	34.3	34.7	35.0
	Daytime Criterion	40	40	40	40	40	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H021	Predicted	26.5	28.3	31.9	34.2	34.9	35.4	35.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H022	Predicted	30.7	33.4	37.2	39.3	39.8	40.1	40.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H023	Predicted	31.6	34.4	38.3	40.4	41.0	41.1	41.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	0.4	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H024	Predicted	31.6	34.4	38.3	40.4	40.9	41.1	41.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.4	0.9	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H025	Predicted	32.2	35.0	38.9	41.0	41.6	41.7	41.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.0	1.6	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H026	Predicted	32.4	35.3	39.2	41.4	41.9	42.0	42.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.4	1.9	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H027	Predicted	31.7	34.5	38.4	40.5	41.0	41.2	41.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.5	1.0	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H028	Predicted	32.4	35.4	39.2	41.4	41.9	42.0	42.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.4	1.9	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H029	Predicted	34.5	36.6	40.2	42.4	43.1	43.5	43.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	0.2	2.4	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	0.1	0.5	0.7
H030	Predicted	34.2	36.0	39.6	41.8	42.5	42.9	43.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	1.8	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	0.2
H031	Predicted	34.5	36.2	39.7	41.9	42.7	43.1	43.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	1.9	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	0.1	0.4
H032	Predicted	35.1	36.5	39.9	42.2	43.0	43.5	43.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	2.2	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	0.5	0.8
H033	Predicted	34.4	35.9	39.2	41.5	42.3	42.8	43.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	1.5	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	0.2
H034	Predicted	34.8	36.0	39.3	41.6	42.4	43.0	43.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.6	2.4	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	0.4
H035	Predicted	34.4	35.5	38.7	41.0	41.9	42.5	43.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.0	1.9	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H036	Predicted	27.4	29.4	33.0	35.3	36.0	36.4	36.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H037	Predicted	29.0	31.4	35.2	37.3	37.9	38.1	38.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H038	Predicted	28.6	30.9	34.7	36.8	37.4	37.6	37.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H039	Predicted	29.1	31.5	35.3	37.4	38.0	38.2	38.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H040	Predicted	25.4	27.4	31.1	33.3	33.9	34.2	34.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H041	Predicted	24.7	26.7	30.4	32.6	33.2	33.6	33.8

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.7	31.1	34.9	37.0	37.5	37.8	37.8
H042	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.6	31.0	34.8	36.9	37.4	37.7	37.7
H043	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.4	30.8	34.5	36.6	37.2	37.4	37.5
H044	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.4	30.6	34.4	36.5	37.1	37.3	37.4
H045	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	26.5	30.2	32.3	32.9	33.2	33.3
H046	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.8	28.9	32.6	34.7	35.2	35.5	35.6
H047	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.2	29.2	33.0	35.1	35.6	35.9	35.9
H048	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.4	29.6	33.3	35.4	36.0	36.2	36.3
H049	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.5	29.7	33.4	35.6	36.1	36.3	36.4
H050	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.8	30.0	33.7	35.8	36.4	36.6	36.7
H051	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H052	Predicted	27.7	30.0	33.7	35.8	36.3	36.6	36.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H053	Predicted	28.3	30.6	34.4	36.5	37.0	37.3	37.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H054	Predicted	28.7	31.1	34.9	37.0	37.5	37.8	37.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H055	Predicted	30.9	33.7	37.6	39.7	40.2	40.4	40.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	0.2	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H056	Predicted	29.4	32.0	35.8	37.9	38.4	38.6	38.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H057	Predicted	29.6	32.2	36.0	38.1	38.6	38.8	38.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H058	Predicted	29.6	32.2	36.1	38.2	38.7	38.9	38.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H059	Predicted	29.7	32.3	36.2	38.3	38.8	39.0	39.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H060	Predicted	29.3	31.9	35.7	37.8	38.3	38.5	38.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H061	Predicted	25.8	27.7	31.4	33.5	34.0	34.2	34.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H062	Predicted	25.6	27.5	31.2	33.3	33.8	34.1	34.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H063	Predicted	25.9	27.8	31.6	33.6	34.2	34.4	34.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H064	Predicted	26.1	28.1	31.8	33.9	34.4	34.6	34.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H065	Predicted	26.8	29.0	32.7	34.8	35.3	35.5	35.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H066	Predicted	27.0	29.1	32.9	35.0	35.5	35.7	35.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H067	Predicted	27.2	29.5	33.2	35.3	35.8	36.0	36.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H068	Predicted	29.4	32.0	35.8	37.9	38.4	38.6	38.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H069	Predicted	29.2	31.8	35.6	37.7	38.2	38.4	38.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H070	Predicted	29.1	31.6	35.5	37.6	38.1	38.2	38.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H071	Predicted	28.1	30.5	34.3	36.4	36.9	37.1	37.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H072	Predicted	27.8	30.2	34.0	36.1	36.6	36.8	36.8
	Daytime Criterion	40	40	40	40	40	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H073	Predicted	27.7	30.0	33.8	35.9	36.4	36.6	36.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H074	Predicted	27.6	29.9	33.7	35.8	36.3	36.5	36.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H075	Predicted	27.5	29.8	33.6	35.7	36.2	36.4	36.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H076	Predicted	26.6	28.7	32.4	34.5	35.0	35.2	35.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H077	Predicted	30.9	33.7	37.6	39.7	40.2	40.4	40.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	0.2	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H078	Predicted	29.7	32.1	35.9	38.0	38.5	38.8	38.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H079	Predicted	29.0	31.5	35.3	37.4	37.9	38.1	38.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H080	Predicted	31.2	34.1	38.0	40.1	40.6	40.8	40.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.1	0.6	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H081	Predicted	32.3	35.2	39.1	41.2	41.8	41.9	42.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.2	1.8	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H082	Predicted	32.6	34.7	38.3	40.5	41.1	41.4	41.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.5	1.1	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H083	Predicted	32.6	34.8	38.6	40.7	41.3	41.6	41.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.7	1.3	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H084	Predicted	28.8	31.2	35.0	37.1	37.7	37.9	38.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H085	Predicted	31.3	33.9	37.7	39.9	40.5	40.8	40.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	0.5	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H086	Predicted	27.7	29.5	33.1	35.2	35.8	36.2	36.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H087	Predicted	25.8	27.7	31.4	33.5	34.0	34.3	34.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H088	Predicted	26.2	28.0	31.8	33.9	34.4	34.7	34.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H089	Predicted	26.5	28.4	32.1	34.2	34.8	35.0	35.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H090	Predicted	26.5	28.5	32.2	34.3	34.9	35.1	35.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H091	Predicted	26.6	28.6	32.4	34.4	35.0	35.2	35.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H092	Predicted	24.4	26.4	30.1	32.2	32.8	33.0	33.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H093	Predicted	25.6	27.5	31.2	33.4	33.9	34.3	34.4

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	26.0	29.7	31.8	32.3	32.5	32.6
H094	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.5	26.2	29.8	31.9	32.4	32.7	32.7
H095	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.6	26.2	29.9	32.0	32.5	32.7	32.8
H096	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.0	26.7	30.4	32.5	33.0	33.2	33.3
H097	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.2	27.0	30.8	32.8	33.4	33.6	33.6
H098	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	26.0	29.7	31.7	32.3	32.5	32.5
H099	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.5	27.4	31.1	33.1	33.6	33.9	33.9
H100	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.1	28.1	31.8	33.9	34.4	34.6	34.7
H101	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.2	27.0	30.7	32.8	33.3	33.5	33.6
H102	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.3	27.1	30.8	32.9	33.4	33.6	33.7
H103	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H104	Predicted	25.6	27.5	31.2	33.3	33.8	34.0	34.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H105	Predicted	24.5	26.1	29.8	31.8	32.4	32.6	32.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H106	Predicted	24.9	26.6	30.3	32.4	32.9	33.2	33.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H107	Predicted	28.9	31.4	35.3	37.4	37.9	38.0	38.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H108	Predicted	25.2	26.9	30.6	32.7	33.2	33.5	33.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H109	Predicted	25.5	27.3	31.0	33.1	33.6	33.9	33.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H110	Predicted	25.8	27.7	31.4	33.5	34.0	34.3	34.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H111	Predicted	25.5	27.4	31.1	33.2	33.7	33.9	34.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H112	Predicted	25.8	27.6	31.4	33.4	34.0	34.2	34.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H113	Predicted	29.6	32.2	36.0	38.1	38.6	38.8	38.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H114	Predicted	29.6	32.2	36.0	38.1	38.6	38.8	38.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H115	Predicted	25.5	27.2	30.9	33.0	33.6	33.8	33.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H116	Predicted	25.7	27.6	31.3	33.4	33.9	34.1	34.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H117	Predicted	25.7	27.6	31.3	33.4	33.9	34.2	34.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H118	Predicted	25.6	27.4	31.1	33.2	33.7	34.0	34.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H119	Predicted	27.1	29.2	33.0	35.0	35.6	35.8	35.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H120	Predicted	23.6	25.4	29.1	31.2	31.8	32.0	32.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H121	Predicted	26.6	28.5	32.2	34.3	34.9	35.1	35.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H122	Predicted	27.3	29.5	33.2	35.3	35.8	36.1	36.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H123	Predicted	26.2	28.1	31.8	33.9	34.4	34.7	34.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H124	Predicted	26.6	28.5	32.2	34.3	34.9	35.1	35.2
	Daytime Criterion	40	40	40	40	40	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H125	Predicted	31.4	34.2	38.1	40.2	40.7	40.9	40.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	0.2	0.7	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H126	Predicted	29.4	31.7	35.5	37.6	38.1	38.4	38.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H127	Predicted	26.6	28.3	31.9	34.0	34.6	34.9	35.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H128	Predicted	24.7	26.3	29.9	32.1	32.8	33.3	33.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H129	Predicted	24.9	26.5	30.2	32.4	33.1	33.6	33.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H130	Predicted	24.8	26.2	29.8	32.2	33.0	33.6	33.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H131	Predicted	27.9	29.2	32.6	34.8	35.5	35.9	36.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H132	Predicted	27.8	29.0	32.4	34.6	35.4	35.8	36.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H133	Predicted	26.3	27.9	31.5	33.9	34.6	35.2	35.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H134	Predicted	26.0	27.5	31.0	33.4	34.2	34.8	35.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H135	Predicted	34.8	35.8	39.0	41.3	42.2	42.8	43.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.3	2.2	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	0.4
H136	Predicted	26.0	27.3	30.8	33.4	34.3	35.0	35.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H137	Predicted	26.0	27.2	30.7	33.4	34.3	35.1	35.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H138	Predicted	28.1	29.4	32.8	35.4	36.4	37.2	37.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H139	Predicted	27.8	28.8	32.2	35.2	36.3	37.3	37.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H140	Predicted	27.8	28.6	31.9	35.3	36.6	37.8	38.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H141	Predicted	27.9	28.6	31.9	35.4	36.7	37.9	38.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H142	Predicted	27.9	28.8	32.1	35.0	36.2	37.2	37.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H143	Predicted	27.7	28.5	31.8	34.9	36.1	37.2	37.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H144	Predicted	34.5	35.8	39.1	41.4	42.2	42.8	43.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	1.4	2.2	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	0.2
H145	Predicted	22.8	24.5	28.2	30.3	30.9	31.1	31.2

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.9	26.5	30.2	32.3	32.9	33.2	33.4
H146	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.0	26.7	30.4	32.5	33.0	33.3	33.4
H147	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.9	26.6	30.3	32.4	32.9	33.2	33.2
H148	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.8	26.4	30.1	32.2	32.7	33.0	33.1
H149	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.9	26.6	30.2	32.4	32.9	33.2	33.2
H150	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.3	27.1	30.8	32.8	33.4	33.6	33.6
H151	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.3	25.9	29.6	31.7	32.2	32.4	32.5
H152	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.6	25.9	29.4	31.9	32.7	33.4	33.8
H153	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	29.1	30.5	33.9	36.1	36.8	37.3	37.6
H154	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.3	24.6	28.2	30.3	30.9	31.2	31.3
H156	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H157	Predicted	29.9	32.5	36.4	38.5	39.0	39.2	39.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H158	Predicted	26.9	28.9	32.6	34.7	35.2	35.5	35.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H159	Predicted	27.4	29.7	33.5	35.6	36.1	36.3	36.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H160	Predicted	23.5	24.9	28.5	30.6	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H161	Predicted	23.6	25.1	28.7	30.8	31.3	31.6	31.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H162	Predicted	23.1	24.3	28.0	30.0	30.6	30.8	30.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H163	Predicted	23.9	25.4	29.0	31.1	31.6	31.9	31.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H164	Predicted	24.1	25.7	29.4	31.4	32.0	32.2	32.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H165	Predicted	22.7	23.9	27.5	29.6	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H166	Predicted	23.8	25.3	28.9	31.0	31.5	31.8	31.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H167	Predicted	24.4	26.0	29.7	31.8	32.3	32.6	32.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H168	Predicted	24.3	25.9	29.5	31.6	32.2	32.4	32.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H169	Predicted	23.4	24.7	28.3	30.4	31.0	31.2	31.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H170	Predicted	23.4	24.8	28.4	30.5	31.0	31.3	31.3
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H171	Predicted	23.5	24.9	28.5	30.6	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H172	Predicted	23.6	24.9	28.6	30.6	31.2	31.4	31.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H173	Predicted	23.3	24.6	28.2	30.3	30.9	31.1	31.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H174	Predicted	23.7	25.2	28.8	30.9	31.4	31.7	31.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H175	Predicted	23.3	24.6	28.3	30.4	30.9	31.1	31.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H176	Predicted	23.0	24.3	27.9	30.0	30.5	30.7	30.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H177	Predicted	22.9	24.1	27.7	29.8	30.3	30.6	30.6
	Daytime Criterion	40	40	40	40	40	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H178	Predicted	23.6	24.7	28.1	30.3	31.0	31.4	31.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H179	Predicted	26.5	27.1	30.2	32.5	33.4	34.0	34.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H180	Predicted	25.8	26.4	29.6	31.9	32.8	33.3	33.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H181	Predicted	24.2	25.7	29.3	31.4	32.0	32.4	32.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H182	Predicted	24.5	25.9	29.6	31.7	32.3	32.6	32.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H183	Predicted	26.4	27.4	30.8	33.0	33.7	34.2	34.5
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H184	Predicted	24.6	26.0	29.7	31.8	32.4	32.8	32.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H185	Predicted	23.1	24.2	27.7	29.9	30.5	30.9	31.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H186	Predicted	23.9	25.1	28.6	31.1	31.9	32.6	33.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H187	Predicted	25.8	26.7	30.2	33.3	34.4	35.5	36.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H188	Predicted	25.6	26.3	29.4	31.7	32.6	33.2	33.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H189	Predicted	24.1	25.0	28.5	31.2	32.1	33.0	33.4
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H190	Predicted	24.8	26.4	30.1	32.2	32.8	33.1	33.2
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H191	Predicted	24.0	25.3	28.8	30.9	31.5	31.8	31.9
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H192	Predicted	24.6	26.0	29.5	31.6	32.2	32.5	32.6
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H193	Predicted	24.6	26.0	29.6	31.7	32.3	32.6	32.7
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H194	Predicted	25.0	26.4	30.0	32.1	32.7	33.0	33.1
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H195	Predicted	24.7	26.1	29.7	31.8	32.4	32.7	32.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H196	Predicted	25.8	26.9	30.3	32.4	33.2	33.6	33.8
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H197	Predicted	25.8	27.0	30.4	32.6	33.3	33.7	34.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H198	Predicted	23.2	24.5	28.1	30.2	30.7	31.0	31.0
	Daytime Criterion	40	40	40	40	40	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--